COUNTY OF EL DORADO

DEPARTMENT OF TRANSPORTATION



CONSTRUCTION UNIT 2441 Headington Road Placerville CA 95667 Phone: (530) 642-4987 Fax: (530) 295-2655

JAMES W. WARE, P.E. **Director of Transportation**

Internet Web Site: http://co.el-dorado.ca.us/dot

MAIN OFFICE: 2850 Fairlane Court Placerville CA 95667 Phone: (530) 621-5900 Fax: (530) 626-0387



DATE: October 15, 2009

TO: All Prospective Bidders

SUBJECT: Addendum No. 3

US 50/Missouri Flat Road Interchange Improvements - Phase 1B

(Project No. 71336)

Submit proposals for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are essential parts of the Contract.

ITEM NO.	PAGE OR DRAWING NO.	INQUIRY/RESPONSE
1	Plan Sheet 96R2 of 259 and SP-44	Question: Please reference specification section 5-1.37 page SP-44, paragraph 5. The previously referenced section states that the contractor must provide new permanent access to parcels APN 327-130-18 and APN 327-130-19 once maintenance of the existing access alignment becomes impractical. Where is the new alignment access to be located? Please provide a plan showing the route of the new access. Answer: Additional information regarding the final alignment of the access road for Perks Court is shown on revised Plan Sheet SC-1 (sheet 96R3 of 259). Bidders are instructed to replace the sheet 96R2 of 259 issued with Addendum No.2 with plan sheet 96R3 of 259 attached to this Addendum No. 3.
2	Plan Sheet E- 17 and SP-219 through SP- 220	Question: It does not specify a manufacturer for the decorative lighting on the drawings nor on the specification. I need to know A) is there a specified manufacturer? B) will you accept an equal? C) what it the EDC standard? Answer: Section 10-3.07 "Decorative Light Standards" Add the following paragraph to the end of this special provision: "The decorative lighting shall be manufactured by Visco, Inc., 29579 Awbrey Lane, Eugene, Oregon 97402 (800)341-

		1444 or approved equal. Attachment A3 of Addendum No.3 provides product information on the components of the decorative light standard that meets the requirements of this special provision."
3	Plan Sheets 54 through 59 and 211	During reproduction some information on Plan Sheets54 through 59 and 211 became illegible. Bidders are instructed to replace original Plan Sheets 54 of 259, 55 of 259, 56 of 259, 57 of 259, 58 of 259, 59 of 259 and 211 of 259 with Plan Sheets 54R3, 55R3, 56R3, 57R3, 58R3, 59R3, and 211R3 of 259 attached to this Addendum No. 3.

This addendum excluding the revised Plan Sheets shall be attached to the contract documents booklet.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Holders who have already mailed their proposal can contact Janel Gifford at (530) 642-4988 (email: Janel.Gifford@edcgov.us) to arrange return of their proposal.

Inform all suppliers and subcontractors as necessary.

The DOT is only sending this addendum by posting on the following website: http://www.edcgov.us/DOT/bids.html.

If you are not a Contract Documents Holder, but request a set of documents to bid on this project, you must comply with the requirements of this addendum when submitting your bid.

Attachments:

SC-1_pg 96R3 of 259_Add No.3.pdf

Attachment A3 – Product Information for decorative lighting components

G-1_pg 54R3 of 259_Add No.3.pdf

G-2_pg 55R3 of 259_Add No.3.pdf

G-3_pg 56R3 of 259_Add No.3.pdf

G-4_pg 57R3 of 259_Add No.3.pdf

G-5_pg 58R3 of 259_Add No.3.pdf

G-6 pg 59R3 of 259 Add No.3.pdf

Foundation Plan_pg 211R3 of 259_Add No.3.pdf

End of Addendum No. 3

Recommended by: Janel Gifford, P.E. Office Engineer	
	10/15/09
Approved by:	***************************************
Robert S. Slater, Deputy Director, Construction For James W. Ware, P.E.	Date

Director of Transportation

COUNTY OF EL DORADO DEPARTMENT OF TRANSPORTATION

INTEROFFICE MEMORANDUM

Date: October 1, 2009

To: Gail Erbe-Hamlin, Chief Administrative Officer

Joe Harn, Auditor

From: Jim Ware, Director of Transportation

Subject: Delegation of Authority

I will be out of the office on vacation from Wednesday, October 7, 2009 through my return on Tuesday, October 20, 2009.

During my absence, I am delegating my signature authority to Robert Slater, Deputy Director, Construction, from Wednesday October 7, 2009 through Thursday October 15, 2009.

I am delegating my signature authority to Craig McKibbin, Deputy Director, Transportation Planning & Land Development from Friday October 16th through Monday October 19, 2009.

James W. Ware, Director of Transportation

Robert S. Slater, Deputy Director, Construction

Craig D. McKibbin, Deputy Director, Transportation Planning & Land Development

cc: Tom Celio, Deputy Director, Maintenance & Operations


Craig McKibbin, Deputy Director, Transportation Planning & Land Development

Russ Nygaard, Deputy Director, Facilities Engineering

Bob Slater, Deputy Director, Construction Matt Smeltzer, Deputy Director, Design

Ruth Young, Chief Fiscal Officer Laura Friestad, Administration, DOT

Melanie Draper, Auditor/Controller's Office






Placerville City of Missouri Flat @ Plaza Dr. (46083)

ti kan animatangan at a sa sa salahar ada anggangan da sista ang ang ang at 1887 kan ang ang sa sa sa sa sa sa

Order Nº 100962

640, Curá-Bolvin Bolstriaed (Quábec Canada, JOB 247





Qty 25

Lumineire S55-208HPS-GL-DSX3-QTA/VOLT-HS-BKTX

Description of Components:

Finial: Decorative cast 356 aluminum, mechanically assembled.

Hood: Spun aluminum 1100-0 dome, permanently assembled to the globe.

Globe: (GL), One-piece, asamless, pressure-molded colorless borositicate glass globe having internal glare softening prisms with smooth external self-cleaning surface. The globe is mechanically assembled to the access-mechanism.

Lamp: (not included), 200 Watt High Pressure Sodium (ANSI Code S66), ED 18 builb, mogul base.

Optical System: (DSX3), Type III, (asymmetrical), cutoff distribution with less than 1% uplight. Smartseel Optical system, composed of bright-anotized aluminum hydroformed reflector, permanently assembled on a prismatic globe. Weatherproof IP66 rating, complete with an (HS) house side shield.

Ballast: High power factor of 90%. Primary voltage 120/208/240/277 volts, connection to be determined. Lamp starting capacity -40F(-40C) degrees. Assembled on a unitized removable tray with quick disconnect plug.


Access-Mechanism: A cast A360.1 aluminum technical ring with latch and hinge. The mechanism shall offer tooffree access to the inside of the luminaire. An embedded memory-retantive gasket shall ensure weatherproofness.

Fitter: Cast alluminum A380.1 c/w 4 set screws 3/8-16 UNC. Fits on a 4"(102mm) outside diameter by 4"(102mm) long tenon.


SPEC20070817_083951_46063_1.DOC


08-17-2007


Page 1/2




"B" SERIES BASE ASSEMBLIES











29579 Awbrey Lone Eugene, Oregon 97402 (541) 688-7741 (Ph) (541) 461-0951 (Fox) (800) 341-1444 Website: www.visco-light.com

1.2

