



TAHOE ENGINEERING:
 924B Emerald Bay Road
 South Lake Tahoe, CA 96150
 Phone: (530) 573-7900
 Fax: (530) 541-7049

JAMES W. WARE, P.E.
 Director of Transportation

Internet Web Site:
<http://edcgov.us/dot>

MAIN OFFICE:
 2850 Fairlane Court
 Placerville CA 95667
 Phone: (530) 621-5900
 Fax: (530) 626-0387



DATE: August 3, 2011

TO: All Prospective Bidders

SUBJECT: Addendum No. 1
CONTRACT OVERLAY - NORTH UPPER TRUCKEE ROAD (2 MILES)
(Contract No. PW 11-30581, CIP No. 72178)

Submit proposals for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are essential parts of the Contract.

ADDENDUM ITEM NO.	PAGE OR DRAWING NO.	DESCRIPTION OF CHANGE	
1.01	Special Provisions §5-1.35 (page SP-18)	<p>5-1.35 – UTILITIES</p> <p>Replace the second to the last full paragraph after the utility quantity table with the following: <i>“The Contractor shall coordinate with the utility companies listed in the table above to properly locate and mark the utility facilities. The Contractor shall adjust utility covers prior to cold planing and/or after AC paving is completed in accordance with sheet U-1 of the Plans and Bid Item “Adjust Utility Covers to Grade.”</i></p>	
1.02	Special Provisions §5-1.35 (page SP-19)	<p>5-1.35 – UTILITIES</p> <p>Replace the AT&T contact information with the following:</p> <table border="1" data-bbox="634 1461 1195 1680"> <tr> <td data-bbox="634 1461 1195 1680"> <p>AT&T (telephone) Attn: Astrid Willard, PW Mgr. 3675 “T” Street, Room 170 Sacramento, CA 95816 (916) 453-6136 FAX (916) 451-8504</p> </td> </tr> </table>	<p>AT&T (telephone) Attn: Astrid Willard, PW Mgr. 3675 “T” Street, Room 170 Sacramento, CA 95816 (916) 453-6136 FAX (916) 451-8504</p>
<p>AT&T (telephone) Attn: Astrid Willard, PW Mgr. 3675 “T” Street, Room 170 Sacramento, CA 95816 (916) 453-6136 FAX (916) 451-8504</p>			
1.03	Proposal (page P-4)	<p>PROPOSAL PAY ITEMS AND BID PRICE SCHEDULE</p> <p>Replace Page P-4, Proposal Pay Items and Bid Price Schedule, included in the Proposal section of the Contract Documents with Page P-4 rev attached to this addendum. The Table of Contents is revised to show Page P-4 rev in place of P-4 in the Proposal Section.</p>	

1.04	Agreement, Exhibit A (page C-8)	<p>EXHIBIT A, CONTRACTOR’S BID PRICE SCHEDULE</p> <p>Replace Page C-8, Exhibit A, Contractor’s Bid Price Schedule, included in the Agreement section of the Contract Documents with Page C-8rev, Exhibit A, Contractor’s Bid and Bid Price Schedule, attached to this addendum.</p>
1.05	Special Provisions §10-1 After (page SP-33)	<p>BID ITEM 9 – ADJUST UTILITY COVERS TO GRADE is added to the Special Provisions and is included as Attachment A, Page SP-33A attached to this addendum.</p>

Page P-4rev, Proposal Pay Items and Bid Price Schedule, shall be attached to the Page P-4 in the original Proposal in the Contract Documents booklet. Page C-8rev, Exhibit A, Contractor’s Bid and Bid Price Schedule, shall be attached to the Page C-8 in the original Draft Agreement in the Contract Documents booklet. Page SP-33A shall be attached in front of page SP-34 in the Contract Documents booklet. The remaining pages of this addendum shall be attached to the Contract Documents booklet.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Holders who have already mailed their proposal can contact Patty Scott at (530) 573-7900 (email: patricia.scott@edcgov.us) or Steve Kooyman at (530) 573-7900 (email: steve.kooyman@edcgov.us) to arrange return of their proposal.

Inform all suppliers and subcontractors as necessary.


The Department of Transportation is only sending this addendum by posting on the following website: <http://www.edcgov.us/Government/DOT/Bids.aspx>.

If you are not a Contract Documents Holder, but request a set of documents to bid on this project, you must comply with the requirements of this addendum when submitting your bid.

Attachments:


Page P-4rev	Proposal Pay Items and Bid Price Schedule	– 1 page
Page C-8rev	Exhibit A, Contractor’s Bid and Bid Price Schedule	– 1 page
Attachment A	Item 9 - ADJUST UTILITY COVERS TO GRADE	– 1 page

End of Addendum No. 1



Recommended by:
Janel Gifford, P.E.
Office Engineer/Contract Services Unit

8/4/11
Date



Approved by:
James W. Ware, P.E.
Director of Transportation

8/4/11
Date

**PROPOSAL PAY ITEMS AND BID PRICE SCHEDULE
CONTRACT NO. PW 11-30581, CIP NO. 72178**

CONTRACT OVERLAY - NORTH UPPER TRUCKEE ROAD (2 MILES)

Bid Item No.	ITEM DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE (In Figures)	TOTAL PRICE (In Figures)
1	Mobilization	LS	1		
2	Traffic Control	LS	1		
3	Sweeping	DAY	20		
4	Temporary Erosion Control	LS	1		
5	Curb Opening	EA	1		
6	Remove Existing Curb and Gutter	LF	384		
7	Cold Planing	SF	52,254		
8	2-1/2" AC Overlay	TN	5,919		
9	Adjust Utility Covers To Grade	EA	80		
TOTAL BID					

(NOTICE: Bidder's failure to execute the questionnaires and statements contained in this Proposal as required by applicable laws and regulations, or the determinations by El Dorado County based upon those questionnaires and statements, may prohibit award of the subject Contract to the Bidder.)

EXHIBIT A

**CONTRACTOR'S BID AND BID PRICE SCHEDULE
CONTRACT NO. PW 11-30581, CIP 72178**

Bid Item No.	ITEM DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE (In Figures)	TOTAL PRICE (In Figures)
1	Mobilization	LS	1		
2	Traffic Control	LS	1		
3	Sweeping	DAY	20		
4	Temporary Erosion Control	LS	1		
5	Curb Opening	EA	1		
6	Remove Existing Curb and Gutter	LF	384		
7	Cold Planing	SF	52,254		
8	2-1/2" AC Overlay	TN	5,919		
9	Adjust Utility Covers To Grade	EA	80		
TOTAL BID					

ITEM 9 – ADJUST UTILITY COVERS TO GRADE

Work under this item shall consist of furnishing all labor, tools, materials, and equipment necessary to adjust the sewer manhole (SMH) rims, sewer cleanouts (SCO), water valves (WV), gas blowout valves (BOV), and telephone manhole (TMH) rims to grade in accordance with the Standard Specifications and these Special Provisions. All manhole rims shall be adjusted in accordance with Section 15-2.05, "Reconstruction," of the Standard Specifications. Rims and covers to be adjusted to grade are located within the AC paving and cold planing operation areas of the Project.

Contractor shall be responsible for providing a record (e.g. stake) in the field of the locations of the existing SMH's, SCO's, WV's, and TMH's that are in areas to receive AC paving or to be cold planed. During the AC paving and cold planing operation, Contractor shall use this record to locate the buried facilities and adjust them to grade. Contractor's method of paving over these facilities, removing and disposing of the paving to expose and to adjust the facilities to grade, and repaving around the facilities shall minimize the size of the pavement patches repaved around the facilities.

All adjustments shall provide a watertight seal in the raised portion and in the connecting existing portions of the facility.

Work shall include excavation, removal of cover and frame, adding and removing grade rings as required, and resetting the cover and frame 1/4" below the finish surface of the AC paving, where applicable.

Special attention is directed to Sheet U-1 of the Plans and the areas within the Project boundary where the specific utilities are located within the AC cold planing section. The Contractor shall protect the existing utilities during the cold planing operations. The Contractor shall lower the utility covers within the cold planing areas prior to cold planing and adjust the covers to grade after AC paving is completed.

Attention is directed to Section 5-1.35 "Utilities" of these Special Provisions.

Payment for Adjust Utility Covers to Grade Item shall be based on the unit price bid and on the number of utility covers adjusted as specified above.