

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	BASE YEAR (2001)		IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR				
				2015 CIP	No. of	W KDY PM PEAK HOUR	Type	Code	HOV	A	B	C	D	E	PM PEAK HOUR			
				LOS	Lanes	COUNT									LOS	VOLUME	LOS	DEFICIENCY
BASS LAKE ROAD																		
	1. US 50 to Country Club Dr		2A	A	2	430	C	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	2,230	C	
	2. Country Club Dr to Bass Lake	-1.608	2R	A	2	430	C	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,440	C	
	3. Bass Lake to Green Valley Rd	1.608 - 3.885	2R	D	2	300	C				90	200	680	1,410	1,740	600	C	
BASS LAKE ROAD, NEW																		
	1. Bass Lake Rd to Green Valley Rd			E				2-Lane Arterial	2A		0	0	970	1,760	1,870	240	C	
BIG CUT ROAD																		
	1. Pleasant Valley Rd to Placerville City Limits		2R	E	2	80	A				90	200	680	1,410	1,740	80	A	
BUCKS BAR ROAD																		
	1. Mt Aukum Rd to Cattle Cr Ln	0.00 - 2.371	2R	D	2	340	C				90	200	680	1,410	1,740	560	C	
	2. Cattle Cr Ln to Pleasant Valley Rd	2.371 - 4.821	2R	C	2	400	C				90	200	680	1,410	1,740	580	C	
CAMBRIDGE ROAD																		
	1. US 50 EB ramps to Country Club Dr	0.00 - 0.36	2A	D	2*	700	C				0	0	970	1,760	1,870	1,150	D	
	2. Country Club Dr to Oxford Rd	0.36 - 1.67	2A	F	2*	630	C				0	0	970	1,760	1,870	1,060	D	
	3. Oxford Rd to Green Valley Rd	1.67 - 3.38	2U	E	2*	390	C				120	290	790	1,600	2,050	490	C	
CAMERON PARK DRIVE																		
	1. Durock Rd to Coach Ln	0.00 - 0.134	4AU	F	4*	880	C				0	0	1,750	2,740	2,890	2,490	D	
	2. Coach Ln to Palmer Dr	0.134 - 0.386	4AU	E	4*	1,970	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	3,260	D	
	3. Palmer Dr to Oxford Rd	0.386 - 1.696	2A	E	2*	1,690	E	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	2,880	D	
	4. Oxford Rd to Green Valley Rd	1.696 - 3.463	2U	A	2*	840	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,230	C	
CARSON ROAD																		
	1. Placerville City Limits to Union Ridge Rd	0.00 - 2.079	2R	C	2	190	B				90	200	680	1,410	1,740	370	C	
	2. Union Ridge Rd to US 50	2.079 - 4.359	2R	B	2	200	B				90	200	680	1,410	1,740	290	C	
	3. US 50 to Barkley Rd	4.359 - 5.117	2R	B	2	350	C				90	200	680	1,410	1,740	510	C	
	4. Barkley Rd to Pony Express Tr	5.117 - 6.801	2R	D	2	270	C				90	200	680	1,410	1,740	280	C	
CEDAR RAVINE ROAD																		
	1. Pleasant Valley Rd to Quarry Rd	0.00 - 1.390	2R	C	2	140	B				90	200	680	1,410	1,740	200	B	
	2. Quarry Rd to Placerville City Limits	1.390 - 4.976	2R	C	2	220	C				90	200	680	1,410	1,740	330	C	
COLD SPRINGS ROAD																		
	1. Placerville City Limits to Cool Water Cr	0.00 - 1.362	2R	D	2	390	C				90	200	680	1,410	1,740	710	D	
	2. Cool Water Cr to Gold Hill Rd	1.362 - 4.614	2R	E	2	220	C				90	200	680	1,410	1,740	460	C	
	3. Gold Hill Rd to SR 49	4.614 - 7.337	2R	E	2	170	B				90	200	680	1,410	1,740	250	C	
COUNTRY CLUB DRIVE																		
	1. Bass Lake Rd to Merrychase Dr		2R	D	2*	230	C				90	200	680	1,410	1,740	840	D	
	2. Merrychase Dr to Cambridge Rd		2R	B	2*	240	C	2-Lane Arterial	2A		0	0	970	1,760	1,870	730	C	
	3. Cambridge Rd to Royal Dr (W)		2R	E	2*	300	C				90	200	680	1,410	1,740	950	D	
	4. Royal Dr (W) to Cameron Park Dr		2R	E	2*	430	C				90	200	680	1,410	1,740	550	C	
COUNTRY CLUB DRIVE EXTENSION																		
	1. Silva Valley Pkwy to Bass Lake Rd			E				2-Lane Arterial	2A		0	0	970	1,760	1,870	940	C	
DUROCK ROAD																		
	1. Cameron Park Dr to Heinz Rd	0.00 - 0.13	2U	D	2	340	C				120	290	790	1,600	2,050	1,420	D	
	2. Hines Rd to S Shingle Rd	0.13 - 2.05	2U	E	2	470	C				120	290	790	1,600	2,050	1,340	D	
EL DORADO HILLS BLVD																		

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	2015 CIP		BASE YEAR (2001)		IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR		
				LOS	Lanes	WKDY PM PEAK HOUR COUNT	LOS	Type	Code	HOV	A	B	C	D	E	PM PEAK HOUR		
																VOLUME	LOS	DEFICIENCY
	1. US 50 to Lassen Ln	0.00 - 0.521	4AD	C	5*	2,250	D	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	5,300	D	YES
	2. Lassen Ln to Olson Ln	0.521 - 1.636	4AD	E	4*	1,660	C				0	0	1,920	3,540	3,740	2,070	D	
	3. Olson Ln to St Andrews Dr	1.636 - 2.505	4AD	D	4*	1,410	C				0	0	1,920	3,540	3,740	1,410	C	
	4. St Andrews Dr to Francisco Dr	2.505 - 3.640	2A	A	2*	1,220	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,220	C	
	5. Francisco Dr to Green Valley Rd	3.640 - 4.219	2A	E	2*	390	C				0	0	970	1,760	1,870	450	C	
EL DORADO ROAD																		
	1. Pleasant Valley Rd to Mother Lode Dr	0.00 - 0.806	2R	E	2	200	B				90	200	680	1,410	1,740	460	C	
	2. Mother Lode Dr to US 50	0.808 -	2R	E	2	380	C				90	200	680	1,410	1,740	620	C	
	3. US 50 Interchange		2A	E	2	380	C				0	0	970	1,760	1,870	560	C	
	4. US 50 to Missouri Flat Rd	-2.907	2R	E	2	220	C				90	200	680	1,410	1,740	510	C	
	5. Missouri Flat Rd to Green Valley Rd	2.907 - 3.382	2R	D	2	290	C				90	200	680	1,410	1,740	460	C	
FAIRPLAY ROAD																		
	1. Mt Aukum to Omo Ranch Rd	0.00 - 3.021	2R	C	2	170	B				90	200	680	1,410	1,740	180	B	
FORNI ROAD																		
	1. SR49 to Enterprise Dr		2R	E	2	220	C				90	200	680	1,410	1,740	320	C	
	2. Enterprise Dr to Missouri Flat Rd		2R	E	2	360	C				90	200	680	1,410	1,740	560	C	
	3. Missouri Flat Rd to Wamego Rd		2R	E	2	170	B				90	200	680	1,410	1,740	490	C	
	4. Wamego Rd to Placerville City Limits		2R	E	2	120	B				90	200	680	1,410	1,740	490	C	
FRANCISCO DRIVE																		
	1. EDH Blvd to Green Valley Rd		2A	A	2*	950	C	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	950	C	
GARDEN VALLEY ROAD																		
	1. SR 193 to Marshall Rd	0.00 - 3.550	2R	D	2	120	B				90	200	680	1,410	1,740	170	B	
GOLD HILL ROAD																		
	1. Lotus Rd to Cold Springs Rd	0.00 - 2.753	2R	B	2	120	B				90	200	680	1,410	1,740	190	B	
	2. Cold Springs Rd to SR 49	2.2753 - 4.449	2R	A	2	30	A				90	200	680	1,410	1,740	30	A	
GREEN VALLEY ROAD																		
	1. County Line to Francisco Dr	0.00 - 1.551	2U	E	2*	2,110	F	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	2,490	D	
	2. Francisco Dr to Salmon Falls Rd	1.551 - 1.916	2U	E	2*	1,210	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,870	C	
	3. Salmon Falls Rd to Deer Valley Rd (W)	1.916 - 4.777	2U	C	2*	1,210	D	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	2,110	C	
	4. Deer Valley Rd (W) to Bass Lake Rd	4.777 - 6.199	2U	D	2*	910	D				120	290	790	1,600	2,050	1,060	D	
	5. Bass Lake Rd to Cameron Park Dr	6.199 - 6.871	2U	D	2*	990	D				120	290	790	1,600	2,050	1,440	D	
	6. Cameron Park Dr to Deer Valley Rd (E)	6.871 - 9.482	2R	D	2*	560	C				90	200	680	1,410	1,740	740	D	
	7. Deer Valley Rd (E) to Lotus Rd	9.482 - 11.008	2R	E	2	650	C				90	200	680	1,410	1,740	1,290	D	
	8. Lotus Rd to Greenstone Rd	11.008 - 15.499	2R	E	2	360	C				90	200	680	1,410	1,740	870	D	
	9. Greenstone Rd to Missouri Flat Rd	15.449 - 16.385	2R	C	2*	550	C	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	910	C	
	10. Missouri Flat Rd to Placerville City Limits	16.385 - 17.435	2R	E	2	440	C				90	200	680	1,410	1,740	760	D	
GREENSTONE ROAD																		
	1. Mother Lode Dr to US 50	0.00 -	2R	D	2	110	B				90	200	680	1,410	1,740	470	C	
	2. US 50 Interchange		2A	D	2	230	C				0	0	970	1,760	1,870	450	C	
	3. US 50 to Green Valley Rd	-2.540	2R	D	2	230	C				90	200	680	1,410	1,740	240	C	
LATROBE ROAD																		
	1. County Line to S Shingle Rd	0.00 - 2.953	2U	B	2	220	B				120	290	790	1,600	2,050	440	C	
	2. S Shingle Rd to Wetsel Oviatt	2.953 - 7.836	2R	C	2	260	C				90	200	680	1,410	1,740	490	C	

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	2015 CIP		BASE YEAR (2001)		IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR			
				LOS	Lanes	WKDY PM PEAK HOUR	COUNT	LOS	Type	Code	HOV	A	B	C	D	E	PM PEAK HOUR		
																	VOLUME	LOS	DEFICIENCY
	3. Wetsel Oviatt to Investment Blvd	7.836-8.901	2U	B	2*	330	C	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,020	C		
	4. Investment Blvd to Carson Creek	8.901-10.055	2U	B	2*	640	C	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	3,280	D	YES	
	5. Carson Creek to White Rock Rd	10.055 - 10.925	4AD	A	4	1,390	C	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	5,490	E	YES	
	6. White Rock Rd to US 50	10.925 - 11.40	4AD	A	4*	1,840	C	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	5,460	E	YES	
LOTUS ROAD																			
	1. Green Valley Rd to Springvale Rd	0.00 - 1.952	2U	D	2	590	C				120	290	790	1,600	2,050	900	D		
	2. Springvale Rd to Thompson Hill Rd	1.952 - 3.656	2U	E	2	370	C				120	290	790	1,600	2,050	520	C		
	3. Thompson Hill Rd to SR 49	3.656 - 6.804	2R	D	2	350	C				90	200	680	1,410	1,740	540	C		
MARSHALL ROAD																			
	1. SR 49 to Mt Murphy Rd	0.00 - 3.736	2R	E	2	240	C				90	200	680	1,410	1,740	320	C		
	2. Mt Murphy Rd to Black Oak Mine Rd	3.736 -	2R	E	2	240	C				90	200	680	1,410	1,740	280	C		
MEDER ROAD																			
	1. Cameron Park Dr to Rosebud Dr	0.00 - 1.351	2R	C	2	330	C				90	200	680	1,410	1,740	660	C		
	2. Rosebud Dr to Ponderosa Rd	1.351 - 2.436	2R	E	2	330	C				90	200	680	1,410	1,740	450	C		
MISSOURI FLAT ROAD																			
	1. Green Valley Rd to El Dorado Rd	0.00 - 1.099	2U	D	2*	480	C				120	290	790	1,600	2,050	900	D		
	2. El Dorado Rd to Headington Rd	1.099 - 1.391	2U	E	2*	710	C				120	290	790	1,600	2,050	1,190	D		
	3. Headington Rd to US 50	1.391 - 1.716	2A	C	2*	1,670	D	6-Lane Arterial, Divided	6A		0	0	2,710	5,320	5,600	2,420	C		
	4. US 50 to Mother Lode Dr	1.716 - 1.819	2A	F	3*	2,340	F	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	3,440	D		
	5. Mother Lode Dr to China Garden Rd	1.819 - 2.911	4AU	F	4*	2,340	D				0	0	1,750	2,740	2,890	3,180	F		
	6. China Garden Rd to SR 49	2.911 - 3.429	2A	C	2*	1,600	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,340	C		
MISSOURI FLAT ROAD CONNECTOR																			
	1. Missouri Flat Rd to SR-49			E				4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,980	D		
	2. SR-49 to Pleasant Valley			E				4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,310	C		
MORMON EMIGRANT TRAIL																			
	1. Sly Park Rd to 2nd Dam	0.00 - 0.895	2U	B	2	60	A				120	290	790	1,600	2,050	310	C		
MOSQUITO ROAD																			
	1. Placerville City Limits to Union Ridge Rd	0.00 - 1.675	2R	D	2	290	C				90	200	680	1,410	1,740	290	C		
	2. Union Ridge Rd to Rock Creek Rd	1.675 - 8.238	2R	D	2	80	A				90	200	680	1,410	1,740	260	C		
MOTHER LODE DRIVE																			
	1. S Shingle Rd to French Creek Rd	0.00 - 0.462	2U	E	2*	1,300	D				120	290	790	1,600	2,050	1,720	E		
	2. French Crk Rd to Greenstone Rd	0.462 - 2.887	2U	C	2	850	D	4-Lane Arterial, Divided	4AD		0	0	1,920	3,540	3,740	1,450	C		
	3. Greenstone Rd to Pleasant Valley Rd	2.887 - 4.018	2U	E	2	850	D				120	290	790	1,600	2,050	1,440	D		
	4. Pleasant Valley Rd to El Dorado Rd	4.018 - 4.921	2U	D	2	380	C				120	290	790	1,600	2,050	380	C		
	5. El Dorado Rd to Missouri Flat Rd	4.921 - 6.749	2U	E	2	400	C				120	290	790	1,600	2,050	790	C		
MT AUKUM ROAD																			
	1. County Line to Omo Ranch Rd	0.00 - 1.370	2R	B	2	160	B				90	200	680	1,410	1,740	350	C		
	2.. Omo Ranch Rd to Grizzly Flat Rd	1.370 - 8.848	2R	C	2	300	C				90	200	680	1,410	1,740	510	C		
	3. Grizzly Flat Rd to Sly Park Rd	8.848 - 12.39	2R	C	2	300	C				90	200	680	1,410	1,740	390	C		
NEWTOWN ROAD																			
	1. Pleasant Valley Rd to Snows Rd	0.00 - 0.891	2R	E	2	250	C				90	200	680	1,410	1,740	380	C		
	2. Snows Rd to Weber Creek	0.891 - 5.613	2R	D	2	250	C				90	200	680	1,410	1,740	400	C		
	3. Weber Creek to Placerville City Limits	5.613 - 6.571	2R	D	2	350	C				90	200	680	1,410	1,740	400	C		

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	2015 CIP		BASE YEAR (2001)		IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR		
				LOS	Lanes	WKDY PM PEAK HOUR COUNT	LOS	Type	Code	HOV	A	B	C	D	E	PM PEAK HOUR		
																VOLUME	LOS	DEFICIENCY
NORTH SHINGLE ROAD																		
	1. Ponderosa Rd to Tennessee Dr	0.10 - 2.112	2R	E	2	620	C					90	200	680	1,410	1,740	830	D
	2. Tennessee Dr to Green Valley Rd	2.112 - 4.067	2R	E	2	440	C					90	200	680	1,410	1,740	730	D
OMO RANCH ROAD																		
	1. Mt Aukum Rd to Fairplay Rd	0.00 - 8.857	2R	B	2	90	A					90	200	680	1,410	1,740	100	B
PLEASANT VALLEY ROAD																		
	1. Mother Lode Dr to El Dorado Rd	0.00 - 0.864	2U	E	2*	650	C					120	290	790	1,600	2,050	1,010	D
	2. El Dorado Rd to SR 49 (S)	0.864 - 1.281	2U	F	2	650	C					120	290	790	1,600	2,050	1,330	D
	3. SR 49 (N) to Big Cut Rd	3.500 - 4.955	2U	E	2*	1,320	D					120	290	790	1,600	2,050	1,430	D
	4. Big Cut Rd to Cedar Ravine Rd	4.955 - 7.914	2R	E	2	760	D					90	200	680	1,410	1,740	1,220	D
	5. Cedar Ravine Rd to Bucks Bar Rd	7.914 - 8.119	2R	E	2*	760	D					90	200	680	1,410	1,740	1,150	D
	6. Bucks Bar Rd to Newtown Rd	8.119 - 11.929	2R	E	2*	420	C					90	200	680	1,410	1,740	550	C
	7. Newtown Rd to Mt Aukum Rd	11.929 - 12.986	2R	E	2*	480	C					90	200	680	1,410	1,740	720	D
PONDEROSA ROAD																		
	1. US 50 to N Shingle Rd	0.00 - 0.10	2A	B	2*	1,480	D	6-Lane Arterial, Divided	6A			0	0	2,710	5,320	5,600	1,990	C
	2. N Shingle Rd to Meder Rd		2R	E	2*	550	D					90	200	680	1,410	1,740	1,250	D
	3. Meder Rd to Green Valley Rd		2R	E	2*	120	B					90	200	680	1,410	1,740	200	B
PONY EXPRESS TRAIL																		
	1. Carson Rd to Ridgeway Dr	0.00 - 2.987	2R	D	2	300	C					90	200	680	1,410	1,740	380	C
	2. Ridgeway Dr to Sly Park Rd	2.987 - 5.471	2R	E	2	600	C					90	200	680	1,410	1,740	650	C
SALMON FALLS ROAD																		
	1. Green Valley Rd to Lake Hills Dr	0.00 - 0.294	2U	E	2	470	C					120	290	790	1,600	2,050	930	D
	2. Lake Hills Dr to Manzanita Ln	0.294 - 2.472	2U	C	2	160	B					120	290	790	1,600	2,050	530	C
	3. Manzanita Ln to Rattlesnake Bar Rd	2.472 - 11.572	2R	E	2	110	B					90	200	680	1,410	1,740	410	C
SARATOGA WAY EXTENSION																		
	1. County Line to EDH Blvd			E				4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	2,230	D
SERRANO PARKWAY																		
	1. EDH Blvd to Silva Valley Pkwy	0.00 - 4.00	2A	E	2*	470	C					0	0	970	1,760	1,870	710	C
SERRANO PARKWAY EXTENSION																		
	1. Silva Valley Pkwy to Bass Lake Rd			E				2-Lane Arterial	2A			0	0	970	1,760	1,870	550	C
SHINGLE SPRINGS DRIVE																		
	1. Mother Lode Dr to US 50		2R	E	2	160	B					90	200	680	1,410	1,740	550	C
	2. US 50 Interchange		2A	E	2	160	C					0	0	970	1,760	1,870	300	C
SILVA VALLEY PARKWAY																		
	1. Serrano Pkwy to Harvard Way		4AD	E	4*	340	C					0	0	1,920	3,540	3,740	1,900	C
	2. Harvard Way to Green Valley Rd		2A	E	2	340	C	4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	1,530	C (1)
SILVA VALLEY PARKWAY EXTENSION																		
	1. US-50 to Serrano Pkwy			E				4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	3,200	D
SLY PARK ROAD																		
	1. Mt Aukum Rd to Clear Creek Rd	0.00 - 1.087	2R	E	2	270	C					90	200	680	1,410	1,740	480	C
	2. Clear Creek Rd to Mormon Emigrant Tr	1.087 - 6.693	2R	E	2	180	B					90	200	680	1,410	1,740	290	C
	3. Mormon Emigrant Tr to Park Creek Rd	6.693 - 9.660	2R	E	2	340	C					90	200	680	1,410	1,740	480	C
	4. Park Creek Rd to US 50	9.665 - 11.284	2R	D	2	470	C					90	200	680	1,410	1,740	640	C

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	BASE YEAR (2001)				IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR			
				2015 CIP	No. of	WKDY PM PEAK HOUR		Type	Code	HOV	A	B	C	D	E	PM PEAK HOUR			
				LOS	Lanes	COUNT	LOS									VOLUME	LOS	DEFICIENCY	
	5. US 50 to Pony Express Trail	11.284 - 11.461	2R	E	2	630	C					90	200	680	1,410	1,740	630	C	
SNOWS ROAD																			
	1. Newtown Rd to Carson Rd	0.00 - 3.180	2R	C	2	190	B					90	200	680	1,410	1,740	230	C	
SOPHIA PARKWAY																			
	1. County Line to Green Valley Rd			E				4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	1,110	C	
SOUTH SHINGLE ROAD																			
	1. Latrobe Rd to Brandon Rd	3.385 - 5.562	2R	B	2	70	A					90	200	680	1,410	1,740	270	C	
	2. Brandon Rd to Sunset Ln	5.562 - 11.395	2R	E	2	200	B					90	200	680	1,410	1,740	250	C	
	3. Sunset Ln to Durock Rd	11.395 - 11.550	2R	E	2*	500	C					90	200	680	1,410	1,740	520	C	
	4. Durock Rd to US 50	11.550 - 11.662	2A	C	2*	1,190	D	4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	1,440	C	
SUNCAST LANE EXTENSION																			
	1. County Line to White Rock Rd			E				4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	2,580	D	
	2. White Rock Rd to Latrobe Rd			E				2-Lane Arterial	2A			0	0	970	1,760	1,870	1,510	D	
WHITE ROCK ROAD																			
	1. County Line to Latrobe Rd	0.00 - 1.128	2U	D	2	470	C					120	290	790	1,600	2,050	860	D	
	2. Manchester Dr. to Latrobe Rd	0.00 - 1.129	2U	D	2	470	C	4-Lane Arterial, Divided	4AD			0	0	1,920	3,540	3,740	3,690	E	YES
	3. Latrobe Rd to Silva Valley Pkwy	1.128 - 2.079	2U	C	2	270	B	6-Lane Arterial, Divided	6A			0	0	2,710	5,320	5,600	5,080	D	YES
SR 49																			
	1. County Line to Sand Ridge Rd	0.00 - 2.82	2R	C	2	270	C					90	200	680	1,410	1,740	490	C	
	2. Sand Ridge Rd to Crystal Blvd	2.82 - 6.126	2R	E	2	340	C					90	200	680	1,410	1,740	540	C	
	3. Crystal Blvd to China Hill Rd	6.126 - 8.35	2R	C	2	340	C	2-Lane Arterial	2A			0	0	970	1,760	1,870	870	C	
	4. China Hill Rd to Pleasant Valley Rd	8.35 - 9.64	2A	E	2	470	C					0	0	970	1,760	1,870	870	C	
	5. Pleasant Valley Rd to Missouri Flat Rd	9.64 - 11.24	2A	E	2	1,160	D					0	0	970	1,760	1,870	1,430	D	
	6. Missouri Flat Rd to Pleasant Valley Rd**	11.24 - 11.86	2A	F	2	1,280	D					0	0	970	1,760	1,870	850	C	
	7. Pleasant Valley Rd to Placerville City Limits	11.86 - 14.60	2R	B	2	540	C	4-Lane, Multilane Highway	4M			1,070	1,760	2,530	3,280	3,650	1,430	B	
	8. Placerville City Limits to Gold Hill Rd	14.60 - 14.89	2R	D	2	300	C					90	200	680	1,410	1,740	330	C	
	9. Gold Hill Rd to SR 153	14.89 - 15.69	2R	D	2	180	B					90	200	680	1,410	1,740	510	C	
	10. SR 153 to Marshall Rd	15.69 - 19.42	2R	E	2	410	C					90	200	680	1,410	1,740	720	D	
	11. Marshall Rd to Rattlesnake Bar Rd	24.48 -	2U	C	2	290	B	4-Lane, Multilane Highway	4M			1,070	1,760	2,530	3,280	3,650	850	A	
	12. Rattlesnake Bar Rd to SR 193	-34.460	2U	C	2	360	C	4-Lane, Multilane Highway	4M			1,070	1,760	2,530	3,280	3,650	1,250	B	
	13. SR 193 to County Line	34.46 - 38.23	2R	F	2	970	D					90	200	680	1,410	1,740	1,410	D	
SR 193																			
	1. SR 49 to Greenwood Rd	0.00 - 6.995	2U	C	2	630	C	4-Lane, Multilane Highway	4M			1,070	1,760	2,530	3,280	3,650	920	A	
	2. Greenwood Rd to Main St (Georgetown)	6.995 - 12.660	2R	D	2	430	C					90	200	680	1,410	1,740	430	C	
	3. Main St (Georgetown) to Shoo Fly Rd	12.660 - 21.437	2R	B	2	170	B					90	200	680	1,410	1,740	250	C	
	4. Shoo Fly Rd to Placerville City Limits	21.437 - 27.056	2R	E	2	210	C					90	200	680	1,410	1,740	320	C	
US HIGHWAY 50																			
WB	1. County Line to EDH Blvd/Latrobe Rd	0.00 - 0.86	2F	E	2	1,730	B			12%	1,110	2,010	2,880	3,570	4,010	2,719	C		
EB		0.00 - 0.86	2F	E	2	3,900	F*	3-Lane Freeway	3F	14%	1,700	3,080	4,400	5,410	6,060	4,377	C		
WB	2. EDH Blvd/Latrobe Rd to Bass Lake Rd	0.86 - 3.23	2F	E	2	1,460	B			13%	1,110	2,010	2,880	3,570	4,010	3,245	D		
EB		0.86 - 3.23	2F	E	2	3,760	E	3-Lane Freeway	3F	11%	1,700	3,080	4,400	5,410	6,060	4,735	D		
WB	3. Bass Lake Rd to Cambridge Rd	3.23 - 4.96	2F	E	2	2,350	C	3-Lane Freeway	3F	11%	1,700	3,080	4,400	5,410	6,060	4,183	C		
EB		3.23 - 4.96	2F	E	2	3,320	D	3-Lane Freeway	3F	11%	1,700	3,080	4,400	5,410	6,060	5,073	D		

EL DORADO COUNTY TDF MODEL - Roadway Capacity Analysis Tool

Version: M99 Model Year: 2025

96GP + NR

ROAD NAME	SEGMENT	MILEPOST	EXISTING FUNCTIONAL CLASS	2015 CIP		BASE YEAR (2001)		IMPROVEMENT			LOS Capacity Thresholds					2025 96GP + NR		
				LOS	No. of Lanes	WKDY PM PEAK HOUR COUNT	LOS	Type	Code	HOV	A	B	C	D	E	VOLUME	LOS	DEFICIENCY
WB	4. Cambridge Rd to Cameron Park Dr	4.96 - 6.57	2F	E	2	2,330	C			11%	1,110	2,010	2,880	3,570	4,010	3,809	E	
EB		4.96 - 6.57	2F	E	2	3,140	D	3-Lane Freeway	3F	12%	1,700	3,080	4,400	5,410	6,060	4,382	C	
WB	5. Cameron Park Dr to Ponderosa Rd	6.57 - 8.56	2F	E	2	1,970	B			9%	1,110	2,010	2,880	3,570	4,010	3,585	E	
EB		6.57 - 8.56	2F	E	2	2,930	D			8%	1,110	2,010	2,880	3,570	4,010	3,643	E	
WB	6. Ponderosa Rd to Shingle Springs Dr	8.56 - 10.30	2F	D	2	1,020	A	2-Lane Freeway + Auxilia	2FA		1,410	2,550	3,640	4,490	5,035	3,790	D	
EB		8.56 - 10.30	2F	D	2	2,550	C				1,110	2,010	2,880	3,570	4,010	3,510	D	
WB	7. Shingle Springs Dr to Greenstone Rd	10.30 - 12.19	2F	D	2	1,190	B				1,110	2,010	2,880	3,570	4,010	3,020	D	
EB		10.30 - 12.19	2F	D	2	2,470	C				1,110	2,010	2,880	3,570	4,010	3,250	D	
WB	8. Greenstone Rd to El Dorado Rd	12.19 - 14.01	2F	D	2	1,590	B				1,110	2,010	2,880	3,570	4,010	3,230	D	
EB		12.19 - 14.01	2F	D	2	2,320	C				1,110	2,010	2,880	3,570	4,010	3,080	D	
WB	9. El Dorado Rd to Missouri Flat Rd	14.01 - 15.06	2F	E	2	1,740	B				1,110	2,010	2,880	3,570	4,010	2,750	C	
EB		14.01 - 15.06	2F	E	2	2,160	C				1,110	2,010	2,880	3,570	4,010	3,160	D	
WB	10. Missouri Flat Rd to Placerville City Limits		2F	D	2	2,200	C				1,110	2,010	2,880	3,570	4,010	3,200	D	
EB			2F	D	2	2,380	C				1,110	2,010	2,880	3,570	4,010	2,560	C	
EB	11. Placerville City Limits to Newtown Rd		2F	D	2	1,330	B				1,110	2,010	2,880	3,570	4,010	1,610	B	
	12. Newtown Rd to Carson Rd. (W)	20.74 - 23.96	4M	D	4	2,580	D	2-Lane Freeway	2F		1,110	2,010	2,880	3,570	4,010	3,430	D	
	13. Carson Rd (W) to Carson Rd (E)	23.96 - 25.95	4M	D	4	2,120	C				1,070	1,760	2,530	3,280	3,650	3,170	D	
EB	14. Carson Rd (E) to Sawmill Rd	25.95 - 28.84	2F	D	2	1,220	B				1,110	2,010	2,880	3,570	4,010	1,260	B	
EB	15. Sawmill Rd to Sly Park Rd	28.84 - 31.30	2F	C	2	1,010	A				1,110	2,010	2,880	3,570	4,010	1,250	B	
	16. Sly Park Rd to Fresh Pond	31.30 - 33.82	2U	C	3	970	D	4-Lane, Multilane Highway	4M		1,070	1,760	2,530	3,280	3,650	1,680	B	
	17. Fresh Pond to Ice House Rd	33.82 - 39.75	4M	C	4	1,140	B				1,070	1,760	2,530	3,280	3,650	1,600	B	
	18. Ice House Rd to Echo Lake	39.75 - 65.62	2U	F	2	1,340	D				120	290	790	1,600	2,050	2,110	F	

* According to Caltrans District 3, these segments operate with LOS F conditions since the prevailing speed is less than 35 mph for at least 30 minutes during the peak period.

** The observed LOS is worse than reported for the base year conditions.